

Product Name: Slideaway Oil TAB 68

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Supplier Name Address Telephone Fax Emergency Email Web Site	TRU-BLU OIL AUSTRALIA PTY LTD 6 Dunlop Court , Bayswater , Victoria, AUSTRALIA, 3153 (03) 9720 4400 (03) 9720 5821 0412 609 722 technical@trubluoil.com.au http://www.trubluoil.com.au/
Synonym(s)	PB80
Codes	TAB68
Use(s)	Slideaway Oil
SDS Date	31st January 2024

2. HAZARDS IDENTIFICATION

Based on available information, this material is not classified as hazardous according to criteria of Safe Work Australia GHS 7.

Poison Schedule: Not Applicable

DANGEROUS GOOD CLASSIFICATION

Not classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail" and the "New Zealand NZS5433: Transport of Dangerous Goods on Land".

3. COMPOSITION / INFORMATION ON INGREDIENTS

Ingredient	Formula	CAS No.	Content
Ingredients determined to be non-hazardous	Not Available	Not Available	100%

4. FIRST AID MEASURES

Еуе	If in eyes, hold eyelids apart and flush continuously with running water for at least 15 minutes. If irritation occurs seek medical assistance.
Skin	If skin contact occurs, remove contaminated clothing and launder before reuse. Wash skin with soap and water. If product is injected into or under the skin or any body part, regardless of the appearance of the wound or its size, the individual should be immediately evaluated by a physician. Even though initial symptoms from high pressure injection may be minimal or absent, early surgical treatment within the first few hours may significantly reduce the ultimate extent of injury.
Inhalation	If inhaled, remove from contaminated area. If you are providing assistance avoid exposure to yourself, wear appropriate PPE. Apply artificial respiration if affected person not breathing. Seek medical assistance.
Ingestion	Rinse mouth out with water. If swallowed, do NOT induce vomiting. If vomiting occurs lean patient forward or place on left side head down position to maintain open airway and prevent aspiration. Never give drink to an unconscious person. Seek immediate medical advice. For further advice call Poisons Information Centre (Phone Australia 131126) or a doctor and seek medical assistance.
PPE for First Aid	Wear overalls, chemical goggles and nitrile gloves. Use with adequate ventilation. If inhalation risk exists wear organic vapour/particulate respirator. Always wash your hands after assisting. Wash contaminated clothing and other PPE after use.
First Aid Facilities	Eye wash facilities and safety shower should be available.
Advice to Doctor	Treat symptomatically as the product is hydrocarbon based. If vomiting has occurred after ingestion, the patient needs to be monitored to ensure the product has not been aspirated into the lungs.
Most important sympto Acute:	oms and effects caused by exposure: Ingestion or inhalation of vapours may lead to the irritation of the mouth and respiratory tract. Ingesion may lead to nausea and diarrhea. In the eye may lead to localised burning, redness and tears. Skin contact may lead to redness and itching.
Chronic:	Contact with the skin my aggravate existing skin conditions such as dermatitis.

5. FIRE FIGHTING MEASURES

Extinguishing	Dry agent, carbon dioxide or foam. You can spray down fumes from fire using a waterspray. Prevent contamination of drains or waterways.
Unsuitable Media	Do not use water jet directed at fire or residual material that may be burning as water may/will cause splattering on hot residue as this product will float on water.
Hazchem Code	None Allocated
Advice for Fire Brigad	de
Fire	Product is not flammable under normal conditions of use. It is hydrocarbon based and product will burn if preheated. Keep storage tanks, pipelines and fire exposed surface cool with waterspray.
Explosion	No information of product being explosive. Closed containers of the product may explode when exposed to extreme heat.
Note	Evacuate area and contact emergency services. Toxic gases may be evolved in a fire situation. Remain upwind and notify those downwind of hazard. Wear full protective equipment including Self Contained Breathing Apparatus (SCBA) when combating fire. Use waterfog to cool intact containers and nearby storage areas.

6. ACCIDENTAL RELEASE MEASURES

PPE	Personnel must wear gloves, goggles or glasses, boots, full length clothing during the cleaning procedure. If mists and vapours are involved an approved half face organic vapour/particulate respirator is required. Use respirators in accordance with standards AS 1715 and AS 1716.
Spillage	Use personal protective equipment. Clear area of all unprotected personnel. Ventilate area where possible. Contain spillage, then cover / absorb spill with non-combustible absorbent material (vermiculite, sand, or similar), collect and place in suitable containers for disposal. In the event of a spill or accidental release notify the relevant authorities in accordance with all the applicable regulations.
Environment	Do not allow product to enter drains, surface water, sewer or watercourses. Please inform local authorities if this occurs.
Containment	Contain the spill and absorb with absorbent material, sand or soil. For large spills prepare a bund/barrier ahead of the spill to contain the spill. If there is the possibility of the spill to enter drains, storm water, sewer or waterways please make sure you bund the areas of concern. Make sure drains are covered to minimise the potential for this to occur.

Cleaning

After spill contained, collect all spilled material used to clean up the spill in suitable containers. Follow local regulations for the disposal for waste. Personnel must wear gloves, goggles or glasses, boots, full length clothing during the cleaning procedure. Wash contaminated area and equipment used to clean p in detergent and water after the spill has been cleaned up. Rinse area with water and don't allow the cleanup water to enter drains or water ways.

7. STORAGE AND HANDLING

Storage	Store in a cool, dry, well ventilated area, removed from oxidising agents, acids, alkalis, heat or ignition sources and foodstuffs. Ensure containers are adequately labelled, protected from physical damage and sealed when not in use. Check regularly for leaks or spills. Large storage areas should have appropriate fire protection systems. Store as a Class C2 Combustible Liquid (AS1940).
Handling	Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.
Incompatibilities	Oxidising substances including strong acids.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Stds

Ingredient	Reference	T	WA	ST	EL
Mineral oil mist	SWA (AUS)		5 mg/m3		Mg/m3

- **Biological Limits** No biological limit allocated.
- **Control Banding** No information available.

Engineering Controls Avoid inhalation. Use in well ventilated areas. Where an inhalation risk exists, mechanical extraction ventilation is recommended. Maintain vapour levels below the recommended exposure standard.

Individual Protection Measure

- Eye & FaceWear goggles/glasses and if there is a risk of splashing wear a full face shield. Use
eye protection in accordance with AS 1336 and AS 1337.
- Skin ProtectionWear Gloves. Nitrile rubber gloves are recommended. Wear long sleeves clothing
to avoid skin contact. Soiled clothing should be washed properly with detergent
prior to re-use.

Respiratory Protection Not required during routine use. If mists or vapours are generated, use an approved half face filter repiratior suitable for organic vapours. Use in accordance with AS 1715 and AS 1716.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Amber Liquid	Flammability	No data available
Odour	Characteristic Odour	Vapoiur Pressure	No data available
Odour Threshold	No data available	Vapour Density	No data available
рН	Not applicable	Density (g/ml @ 14C)	0.8645
Melting/Freezing	Not applicable	Partition Coefficient	No data available
Boiling Range	No data available	Auto ignition Temp	No data available
Flash Point (celsius)	>190	Decomposition Temp	No data available
Evaporation Rate	No data available	Solubility (Water)	Insoluble
Viscosity (cSt @ 40c)	68	Viscosity (cSt @ 100c)	9.5

10. STABILITY AND REACTIVITY

Reactivity	This product does not pose any further reactivity hazards other than those listed below in Section 11.
Chemical Stability	Stable under recommended conditions of storage.
Conditions to Avoid	Avoid heat, sparks, open flames and other ignition sources.
Material to Avoid	Incompatible with oxidising agents (eg. hypochlorites), acids (eg. nitric acid), alkalis (eg. hydroxides), heat and ignition sources.
Hazardous Decomposition Products	May evolve toxic gases (carbon oxides, hydrocarbons) when heated to decomposition.
Hazardous Reactions	Polymerization is not expected to occur.

11. TOXICOLOGICAL INFORMATION

Acute Toxicity	If swallowed this product is expected to have low toxicity. It may cause irritation to the mouth, throat and digestive tract. Use safe work practices to avoid eye or skin contact and inhalation.
Skin corrosion/irritation	Low irritant. Prolonged or repeated contact may result in mild irritation, rash and dermatitis. Correct handling procedures incorporating protective clothing and gloves should minimise the risk of skin irritation.

Serious Eye Damage/Irritation	Low to moderate irritant. Contact may result in irritation, lacrimation, pain and redness. Symptoms may include localised burning, redness and tears. Correct handling procedures incorporating eye protection should minimise risk or eye irritation.
Respiratory/Skin Sensitivity	This product is not expected to be a respiratory tract sensitiser based on known hazards of the product components. This product is not expected to be a skin sensitiser based on known hazards of the product components.
Germ Cell Mutagenicity	Not expected to be a germ cell mutugen based on the assessment of components.
Reproductive Toxicity	Not expected to be a reproductive hazard based on the available data and the known hazards of the components.
Specifiec Target Organ Toxicity (STOT)	- Single Exposure This product is not expected to cause organ damage from single exposure, based on available data and known hazards of the components. The product is not expected to be an irritation hazard at ambient temperature under normal conditions. Not classified as a respiratory irritant, please note that inhalation of vapours or mist may cause irritation to the nose throat and respiratory system.
Specific Target Organ Toxicity (STOT) -	 Repeated Exposure This product is not expected to cause organ damage from prolonged or repeated exposure, based on available data and known hazards of the components.
Aspiration Hazard	This product is not expected to to be an aspiration hazard based on available data and the known hazards of the components. Note that the product is hydrocarbon based if vomiting has occurred after swallowing the person should be monitored for adverse effects.
NOTE:	Used oils may contain harmful substances that can accumulate during use. All used oils should be handled with caution and skin contact should be avoided by wearing gloves made from nitrile rubber.

12. ECOLOGICAL INFORMATION

Ecotoxicity	May be harmful to the aquatic environment. Mineral oils should not be released into waterways. They can float on water, restricting oxygen exchange with the possible asphyxiation of aquatic life.
Persistence / Degradability	Not expected to be biodegradable. Note: Major parts of the product are expected to be inherently biodegradable, the product contains parts that may persist in the environment.

Bioaccumulative Potential	No information is available.
Mobility in soil	If the product enters the soil it is expected that it will absorb onto soil particles and will not be mobile.
Other Adverse Effects	Based on available data and know hazards of the products components, this product is not expected to have ozone depletion potential, photochemical ozone creation potential or global warming potential. The product is a mixture of non-volatile components, which are not expected to be released into the air in any significant amounts.

13. DISPOSAL CONSIDERATIONS

Product	This product should not be released into the environment, any unused material should be recycled where possible or disposed of as hazardous waste at an appropriate collection depot. Dispose of in accordance with relevant government legislation.
Containers	Empty containers may contain residual oil. Containers should be completely drained and stored safely. Empty containers should be taken for recycling or disposal through suitably licensed contractors in accordance with government regulations.
Note	Do not pressure, cut, weld, braze, solder, drill, grind or expose such containers to heat, flame, sparks, static electricity or other sources of ignition. They may explode and cause injury or death.
Legislation	Dispose of in accordance with relevant local legislation.

14. TRANSPORT INFORMATION

NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE

Shipping Name	None Allocated	DG Class	None Allocated
UN No.	None Allocated	Hazchem Code	None Allocated
Packing Group	None Allocated	Subsidiary Risk(s)	None Allocated

15. REGULATORY INFORMATION

Poison Schedule	A poison schedule number has not been allocated to this product using the criteria in the Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP).
AICS	All chemicals listed on the Australian Inventory of Chemical Substances (AICS).
MARPOL	Annex 1 Oil

16. OTHER INFORMATION

Additional Information

MINERAL OILS - SOLVENT REFINED; Animal experiments and human experience have not shown cancer risks when handling solvent refined mineral oils, unlike non refined mineral oils. CLEANING MINERAL OIL CONTAMINATED CLOTHING; Cleaners are advised that when cleaning oil contaminated clothing it is essential that freshly distilled solvent is used for each batch, including final rinse, as even filtered solvent will leave oil residues.

MINERAL OILS - USED; Used mineral oils in engine crankcases and other high temperature/high stress environments may contain potentially harmful residues, some of which have been shown to cause irreversible skin effects, including cancer. Prolonged and repeated inhalation of mists associated with used mineral oils may result in pulmonary fibrosis.

MINERAL OILS - INJECTION; Where high pressure applications are used the risk of accidental injection under the skin exists and may result in an extremely painful and serious injury requiring immediate medical attention. Depending on the pressure used, mineral oils may be injected a considerable distance below the skin and may cause permanent tissue damage. SEEK IMMEDIATE MEDICAL ATTENTION. EXERCISE EXTREME CARE WHEN USING HIGH PRESSURE EQUIPMENT.

ABBREVIATIONS:

ADB - Air-Dry Basis. BEI - Biological Exposure Indice(s) CAS# - Chemical Abstract Service number - used to uniquely identify chemical compounds. CNS - Central Nervous System. EC No - European Community Number. IARC - International Agency for Research on Cancer. M - moles per litre, a unit of concentration. mg/m3 - Milligrams per cubic metre. NOS - Not Otherwise Specified. NTP - National Toxicology Program. OSHA - Occupational Safety and Health Administration. pH - relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly alkaline). ppm - Parts Per Million. RTECS - Registry of Toxic Effects of Chemical Substances. TWA/ES - Time Weighted Average or Exposure Standard.

HEALTH EFFECTS FROM EXPOSURE:

It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a SDS which would encompass all possible scenarios, it is anticipated that the end user will assess the risks and apply control methods where appropriate.

PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:

The recommendation for protective equipment contained within this SDS is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered by the end user before final selection of personal protective equipment is made.

REPORT STATUS:

This SDS has been prepared by Tru-Blu Oil using the most current information available at the time of issuing. Tru-Blu Oil accepts no liability (as lawfully allowed) for any loss, injury or damage which may have been suffered or incurred by any person as a consequence of their reliance on information that is contained in this SDS.

SDS Date: 31st January 2024 End of Report