



SAFETY DATA SHEET

Product Name: Comproil HV4000

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Supplier Name	TRU-BLU OIL AUSTRALIA PTY LTD
Address	6 Dunlop Court , Bayswater , Victoria, AUSTRALIA, 3153
Telephone	(03) 9720 4400
Fax	(03) 9720 5821
Emergency	0412 609 722
Email	technical@trubluoil.com.au
Web Site	http://www.trubluoil.com.au/
Synonym(s)	Synthetic di-ester
Codes	COMPROIL.20KG
Use(s)	Compressor crankcase and cylinder lubricant
SDS Date	13 th September 2023

2. HAZARDS IDENTIFICATION

Based on available information, this material is not classified as hazardous according to criteria of Safe Work Australia GHS 7.

Poison Schedule: Not Applicable

DANGEROUS GOOD CLASSIFICATION

Not classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail" and the "New Zealand NZS5433: Transport of Dangerous Goods on Land".

Classified as a C2 (COMBUSTIBLE LIQUID) for the purpose of storage and handling, in accordance with the requirements of AS 1940. Refer to State Regulations for storage and transport requirements.

3. HEALTH HAZARD INFORMATION

Health Effects:

Acute:

Swallowed	Low to medium toxicity	Eye	May cause irritation
Skin	May cause irritation	Inhaled	Low to medium toxicity
Chronic	Not known		

First Aid

Swallowed	Do not induce vomiting. Drink plenty of water. Seek immediate medical assistance.
Eye	Wash with copious amounts of water for 15 minutes, with eyelid(s) open. Seek medical attention if irritation persists.
Skin	Wash affected area thoroughly with soap and water. Remove contaminated clothing. Seek medical attention if irritation occurs.
Inhaled	Remove affected person to fresh air. Seek immediate medical assistance.
First Aid Facilities	Eyewash station, safety shower, respirator for firefighters.
Advice to Doctor	0.02% of this product is a neurotoxin which may cause cholinesterase inhibition. If indicated, atropine by injection is antidotal.

4. PRECAUTIONS FOR USE

Exposure Standards TLV Limits – 5 mg/m³

Engineering Controls Provide local exhaust. Avoid high temperatures and contact with fire and sparks.

Personal Protection Chemical resistant gloves, chemical splash goggles, impervious clothing

Flammability Not flammable under conditions of use

5. SAFE HANDLING INFORMATION

Storage and Transport	Store in a cool dry place, away from strong acids, bases, or oxidising agents.
Spill and Disposal	Absorb split liquid with sand or absorbent. Keep out of sewers and water courses. Incinerate or dispose of according to local regulations.
Fire/Explosion Hazard	No explosion hazard. Hazardous decomposition products – carbon dioxide, carbon monoxide. Fire fighters should use self contained breathing apparatus, avoid breathing fumes, vapours or mists. Water on product may cause frothing. Fire extinguishing media – foam, CO ₂ , dry chemical.

6. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Clear blue liquid, low odour
Boiling Point	327°C
Vapour Pressure	<1 mm Hg at 25°C
Specific Gravity	0.96 at 15.6 o C
Flashpoint	263 o C C.O.C
Flammability Limits	Not flammable
Solubility in Water	<0.01%
Other Properties	
Viscosity	100 cSt at 40 o C
Pour Point	-20 o C
Ingredients	
Chemical Name	CAS Number: Proportion:
Synthetic di-ester	- >75%
Proprietary Additives	- >25%
Di tridecyl adipate	16958-92-2 <0.02%

7. OTHER INFORMATION

Additives Information

REPORT STATUS:

This SDS has been prepared by Tru-Blu Oil using the most current information available at the time of issuing. Tru-Blu Oil accepts no liability (as lawfully allowed) for any loss, injury or damage which may have been suffered or incurred by any person as a consequence of their reliance on information that is contained in this SDS.

SDS Date: 13th September 2023
End of Report