

# Material Safety Data Sheet

**Product Name:** Tru-Blu Multipurpose Marine Grease

# 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Supplier Name TRU-BLU OIL AUSTRALIA PTY LTD

Address 6 Dunlop Court, Bayswater, Victoria, AUSTRALIA, 3153

 Telephone
 (03) 9720 4400

 Fax
 (03) 9720 5821

 Emergency
 0412 609 722

Emailtechnical@trubluoil.com.auWeb Sitehttp://www.trubluoil.com.au/

Use(s) Marine grease SDS Date 12<sup>th</sup> August 2016

# 2. HAZARDS IDENTIFICATION

NON-HAZARDOUS SUBSTANCE. NON-DANGEROUS GOODS.

Not classified as hazardous according to the criteria of NOHSC, and not classified as Dangerous Goods according to the Australian Dangerous Goods Code.

Symbol(s) : No Hazard Symbol required

R-phrase(s) : Not classified. S-phrase(s) : Not classified.

Health Hazards : Not expected to be a health hazard when used under normal

conditions. Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis. High-pressure injection under the skin may cause serious damage including local necrosis. Used

grease may contain harmful impurities.

Signs and Symptoms : Local necrosis is evidenced by delayed onset of pain and

tissue damage a few hours following injection. Oil

acne/folliculitis signs and symptoms may include formation of black pustules and spots on the skin of exposed areas. Ingestion may result in nausea, vomiting and/or diarrhoea.

Safety Hazards : Not classified as flammable but will burn.

**Environmental Hazards**: Not classified as dangerous for the environment.

SUSMP Schedule : Not scheduled.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Preparation Description : A lubricating grease containing highly-refined mineral oils and

additives.

**Hazardous Components** 

AChemical Identity CAS EINECS Symbol(s) R-phrase(s) Conc.

Zinc alkyl 68649-42-3 272-028-3 Xi, N R38; R41; < 2.40 %

dithiophosphate R51/53

Page 1 of 1 MSDS: 08-153 Issue date: 12/08/2016 **Product Name:** <u>Tru-Blu Multipurpose Marine Grease</u>

> Additional Information The highly refined mineral oil contains <3% (w/w) DMSO- extract,

according to IP346. Refer to chapter 16 for full text of EC R-phrases.

# 4. FIRST AID MEASURES

**Eye Contact** 

**General Information** Not expected to be a health hazard when used under normal

conditions.

No treatment necessary under normal conditions of use. If Inhalation

symptoms persist, obtain medical advice.

**Skin Contact** Remove contaminated clothing. Flush exposed area with water and

follow by washing with soap if available. If persistent

irritation occurs, obtain medical attention. When using high pressure

equipment, injection of product under the skin can

occur. If high pressure injuries occur, the casualty should be sent

immediately to a hospital. Do not wait for symptoms to

develop. Obtain medical attention even in the absence of apparent wounds.

Flush eye with copious quantities of water. If persistent irritation

occurs, obtain medical attention. In general no treatment is necessary unless large quantities are

Ingestion swallowed, however, get medical advice.

Treat symptomatically. High pressure injection injuries require prompt Advice to Physician

surgical intervention and possibly steroid therapy, to minimise tissue

damage and loss of function. Because entry

wounds are small and do not reflect the seriousness of the underlying damage, surgical exploration to determine the extent of involvement may be necessary. Local anaesthetics or hot soaks should be avoided because they can contribute to swelling,

vasospasm and ischaemia. Prompt surgical decompression,

debridement and evacuation of foreign material should be performed under general anaesthetics, and wide exploration is essential.

#### 5. FIRE FIGHTING MEASURES

Clear fire area of all non-emergency personnel.

**Specific Hazards** Hazardous combustion products may include: A complex mixture of

airborne solid and liquid particulates and gases (smoke). Carbon

monoxide. Unidentified organic and inorganic compounds.

Foam, water spray or fog. Dry chemical powder, carbon dioxide, sand or Suitable Extinguishing Media

earth may be used for small fires only.

**Unsuitable Extinguishing Media** Do not use water in a jet.

Protective Equipment for Firefighters Proper protective equipment including breathing apparatus must be

worn when approaching a fire in a confined space.

# 6. ACCIDENTAL RELEASE MEASURES

Avoid contact with spilled or released material. For guidance on selection of personal protective equipment see Chapter 8 of this Material Safety Data Sheet. See Chapter 13 for information on disposal. Observe the relevant local and international regulations.

**Protective measures** Avoid contact with skin and eyes. Use appropriate containment to avoid

> environmental contamination. Prevent from spreading or entering drains, ditches or rivers by using sand, earth, or other appropriate barriers.

Shovel into a suitable clearly marked container for disposal or reclamation **Clean Up Methods** 

in accordance with local regulations.

Page 2 of 5 MSDS: 08-153 Issue date: 12/08/2016

**Product Name:** Tru-Blu Multipurpose Marine Grease

### 7. STORAGE AND HANDLING

**General Precautions** : Use local exhaust ventilation if there is risk of inhalation of vapours,

mists or aerosols. Properly dispose of any contaminated rags or cleaning materials in order to prevent fires. Use the information in this data sheet as input to a risk assessment of local circumstances to help determine appropriate controls for safe handling, storage and disposal

of this material.

**Handling** : Avoid prolonged or repeated contact with skin. Avoid inhaling vapour

and/or mists. When handling product in drums, safety footwear should

be worn and proper handling equipment should be used.

Storage : Keep container tightly closed and in a cool, well-ventilated place. Use

properly labelled and closeable containers. Storage Temperature: 0 - 50

°C / 32 - 122 °F

Recommended Materials : For containers or container linings, use mild steel or high density

polyethylene.

Unsuitable Materials : PVC.

Additional Information : Polyethylene containers should not be exposed to high

temperatures because of possible risk of distortion.

# 8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

#### **Exposure Standards**

Material	Source	Туре	ppm	mg/m3	Notation
Oil mist,	AU OEL	TWA		5 mg/m3	
mineral		[Mist.]			
	ACGIH	TWA		5 mg/m3	
		[Inhalable			
		fraction.]			

Additional Information. Due to the product's semi-solid consistency, generation of mists an dusts

is unlikely to occur.

**Exposure Controls.** The level of protection and types of controls necessary will vary depending upon

potential exposure conditions. Select controls based on a risk assessment of local circumstances. Appropriate measures include: Adequate ventilation to control airborne concentrations. Where material is heated, sprayed or mist formed, there is greater potential for airborne concentrations to be generated.

#### **Personal Protective Equipment**

Personal protective equipment (PPE) should meet recommended national standards. Check with PPE suppliers.

#### **Respiratory Protection**

No respiratory protection is ordinarily required under normal conditions of use. In accordance with good industrial hygiene practices, precautions should be taken to avoid breathing of material. If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker health, select respiratory protection equipment suitable for the specific conditions of use and meeting relevant legislation. Check with respiratory protective equipment suppliers. Where air-filtering respirators are suitable, select an appropriate combination of mask and filter. Select a filter suitable for combined particulate/organic gases and vapours [boiling point >65°C(149 °F)].

Hand Protection.

Where hand contact with the product may occur the use of gloves approved to relevant standards (e.g. Europe: EN374, US: F739) made from the following materials may provide suitable chemical protection: PVC, neoprene or nitrile rubber gloves. Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical resistance of glove material, glove thickness, dexterity. Always seek advice from glove suppliers. Contaminated gloves should be replaced. Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands

**Product Name:** Tru-Blu Multipurpose Marine Grease

should be washed and dried thoroughly. Application of a non-perfumed

moisturizer is recommended.

**Eye Protection** Wear safety glasses or full face shield if splashes are likely to occur.

**Protective Clothing** Skin protection not ordinarily required beyond standard issue work clothes.

Monitoring Methods Monitoring of the concentration of substances in the breathing zone of

workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls. For some substances

biological monitoring may also be appropriate.

### **Environmental Exposure Controls:**

Minimise release to the environment. An environmental assessment must be made to ensure compliance with local environmental legislation.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance** 

Odour

Initial Boiling Point & Boiling Range

Dropping point Flash point

Upper / lower Flammability or Explosion limits

Auto-ignition temperature

Vapour pressure Specific gravity

Density

Water solubility

Solubility in other solvents

n-octanol/water partition coefficient (log Pow)

Kinematic viscosity
Vapour density (air=1)
Evaporation rate (nBuAc=1)

Red. Semi-solid at ambient temperature

- Slight hydrocarbon
- Data not available
- Typical 175 °C / 347 °F
- > 180 °C / 356 °F (COC)
- Typical 1 10 %(V) (based on mineral oil)
- > 320 °C / 608 °F
- < 0.5 Pa at 20 °C / 68 °F (estimated value(s))</p>
- Typical 0.9 at 15 °C / 59 °F
- Typical 900 kg/m3 at 15 °C / 59 °F
- Negligible
- Data not available
- > 6 (based on information on similar products)
- Not applicable.
- > 1 (estimated value(s))
- Data not available

### 10. STABILITY AND REACTIVITY

Stability. Stable.

**Conditions to Avoid.** Extremes of temperature and direct sunlight.

Materials to Avoid. Strong oxidising agents.

**Decomposition Products.** Hazardous decomposition products are not expected to form during normal storage.

# 11. TOXICOLOGICAL INFORMATION

Basis for Assessment	Information given is based on data on the components & the toxicology of similar products.			
Acute Oral Toxicity	Expected to be of low toxicity:LD50 > 5000 mg/kg, Rat			
Acute Dermal Toxicity	Expected to be of low toxicity:LD50 > 5000 mg/kg, Rabbit			
Acute Inhalation Toxicity	Not considered to be an inhalation hazard under normal conditions of use.			
Skin Irritation	Expected to be slightly irritating. Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis.			
Eye Irritation	Expected to be slightly irritating.			
Respiratory Irritation	Inhalation of vapours or mists may cause irritation.			
Repeated Dose Toxicity	Not expected to be a hazard.			
Mutagenicity	Not considered a mutagenic hazard.			
Carcinogenicity	Product contains mineral oils of types shown to be non-carcinogenic in animal skin-painting studies.			

Page 4 of 5 MSDS: 08-153 Issue date: 12/08/2016

	Highly refined mineral oils are not classified as carcinogenic by the International Agency for Research on Cancer (IARC).  Other components are not known to be associated with carcinogenic effects.
Reproductive and	Not expected to be a hazard.
<b>Developmental Toxicity</b>	
Additional Information	Used grease may contain harmful impurities that have accumulated during use. The concentration of such harmful impurities will depend on use and they may present risks to health and the environment on disposal. ALL used grease should be handled with caution and skin contact avoided as far as possible. High pressure injection of product into the skin may lead to local necrosis if the product is not surgically removed.

#### 12. ECOLOGICAL INFORMATION

Ecotoxicological data have not been determined specifically for this product. Information given is based on a knowledge of the components and the ecotoxicology of similar products.

**Acute Toxicity** : Poorly soluble mixture. May cause physical fouling of aquatic

> organisms. Expected to be practically non toxic:LL/EL/IL50 > 100 mg/l(to aquatic organisms)(LL/EL50 expressed as the nominal

amount of product required to prepare aqueous test

extract). Mineral oil is not expected to cause any chronic effects

to aquatic organisms at concentrations less than 1 mg/l. **Mobility** 

: Semi-solid under most environmental conditions. Floats on water. If it

enters soil, it will adsorb to soil particles and will not be mobile.

Expected to be not readily biodegradable. Major constituents are Persistence/degradability

expected to be inherently biodegradable, but the product contains

components that may persist in the environment.

Bioaccumulation : Contains components with the potential to bioaccumulate.

Other Adverse Effects Product is a mixture of non-volatile components, which are not expected

> to be released to air in any significant quantities. Not expected to have ozone depletion potential, photochemical ozone creation potential or

global warming potential.

### 13. DISPOSAL CONSIDERATIONS

**Material Disposal** Recover or recycle if possible. It is the responsibility of the waste

generator to determine the toxicity and physical properties of the material generated to determine the proper waste classification and disposal methods in compliance with applicable regulations. Do not

dispose into the environment, in drains or in water courses.

**Container Disposal** Dispose in accordance with prevailing regulations, preferably to a

recognised collector or contractor. The competence of the collector or

contractor should be established beforehand.

**Local Legislation** : Disposal should be in accordance with applicable regional, national, and local laws

and regulations.

# 14. TRANSPORT INFORMATION

#### **ADG**

This material is not classified as dangerous according to the Australian Dangerous Goods Code.

This material is not classified as dangerous under IMDG regulations.

#### IATA (Country variations may apply)

This material is either not classified as dangerous under IATA regulations or needs to follow country specific requirements.

> Page 5 of 5 MSDS: 08-153 Issue date: 12/08/2016

**Product Name:** Tru-Blu Multipurpose Marine Grease

### 15. REGULATORY INFORMATION

The regulatory information is not intended to be comprehensive. Other regulations may apply to this material.

SUSMP Schedule : Not scheduled.

**Chemical Inventory Status** 

EINECS : All components listed or

polymer exempt.

TSCA : All components listed. AICS : All components listed.

Other Information : National Code of Practice for the Preparation of Material Safety Data

Sheets [NOHSC:2011] List of Designated Hazardous Substances [NOHSC:10005]. Approved Criteria for Classifying Hazardous

Substances [NOHSC:1008]. Adopted National Exposure Standards for

Atmospheric Contaminants in the Occupational Environment

[NOHSC:1003]. Australian Dangerous Goods Code. Standard for the

Uniform Scheduling of Medicines and Poisons.

### 16. OTHER INFORMATION

#### **Additional Information**

R-phrase(s)

Not classified. R38

Irritating to skin.

R41 Risk of serious damage to eyes.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

MSDS Distribution : The information in this document should be made available to all who

may handle the product.

**Disclaimer** : This information is based on our current knowledge and is intended

to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be

construed as guaranteeing any specific property

of the product.

#### PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:

The recommendation for protective equipment contained within this MSDS is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered by the end user before final selection of personal protective equipment is made.

# **REPORT STATUS:**

This MSDS has been prepared by Tru-Blu Oil using the most current information available at the time of issuing. Tru-Blu Oil accepts no liability (as lawfully allowed) for any loss, injury or damage which may have been suffered or incurred by any person as a consequence of their reliance on information that is contained in this MSDS.

MSDS Date: 12th August 2016

**End of MSDS** 

Page 6 of 5 MSDS: 08-153 Issue date: 12/08/2016